			DD	Time atoms
L Number	Hits	Search Text	DB	Time stamp
1	14702	(while during) near2 (boot\$3 initiali\$6)	USPAT; IBM_TDB	2004/05/11 09:54
2	11509	(prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))	USPAT; IBM_TDB	2004/05/11 12:21
3	598	((while during) near2 (boot\$3 initiali\$6)) AND ((prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in)))	USPAT; IBM_TDB	2004/05/11 12:09
4	0	(((while during) near2 (boot\$3 initiali\$6)) AND ((prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) AND (IUI (intrinsic near unique))	USPAT; IBM_TDB	2004/05/11 10:22
5	82003	(select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3) near3 (log\$3 logon login log-on log-in password\$1 users identifier\$1 hint\$1 identification\$1 id\$1 identit\$3 sign-on sign-in (sign\$3 near on) (sign\$3 near in))	USPAT; IBM_TDB	2004/05/11 10:28
6	376	((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3) near3 (log\$3 logon login log-on log-in password\$1 users identifier\$1 hint\$1 identification\$1 id\$1 identit\$3 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) and (((while during) near2 (boot\$3 initiali\$6)) AND ((prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))))	USPAT; IBM_TDB	2004/05/11 10:28
7	53	(((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3) near3 (log\$3 logon login log-on log-in password\$1 users identifier\$1 hint\$1 identification\$1 id\$1 identit\$3 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) and (((while during) near2 (boot\$3 initiali\$6)) AND ((prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))))) and (html xml dhtml shtml sgml (mark\$4 near language\$1))	USPAT; IBM_TDB	2004/05/11 12:09
8	2411	((while during) near2 (boot\$3 initiali\$6)) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1))	USPAT; IBM_TDB	2004/05/11 12:19
9	628	((prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1))	USPAT; IBM_TDB	2004/05/11 14:16
10	10	(((while during) near2 (boot\$3 initiali\$6)) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1))) and (((prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1)))	USPAT; IBM_TDB	2004/05/11 12:19
11	2355	((((while during) near2 (boot\$3 initiali\$6)) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1))) (((prior before) near3 (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1)))) and (log\$3 logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))	USPAT; IBM_TDB	2004/05/11 12:42

12	985	((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3)	USPAT;	2004/05/11 12:30
		near3 (log\$3 logon login log-on log-in password\$1 users identifier\$1 hint\$1 identification\$1 id\$1	IBM_TDB	12:30
		identit\$3 sign-on sign-in (sign\$3 near on) (sign\$3		
		near in))) and ((((while during) near2 (boot\$3		
		initiali\$6)) with (load\$3 execut\$3 html xml dhtml		
		shtml sgml (mark\$4 near language\$1))) (((prior		<b>]</b>
		before) near3 (log\$3 logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on)		
		(sign\$3 near in))) with (load\$3 execut\$3 html xml		
		dhtml shtml sgml (mark\$4 near language\$1)))) and		
		(log\$3 logon login log-on log-in password\$1		
1,2	271	sign-on sign-in (sign\$3 near on) (sign\$3 near in)))	USPAT;	2004/05/11
13	371	(((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3) near3 (log\$3 logon login log-on log-in password\$1	IBM_TDB	12:35
		users identifier\$1 hint\$1 identification\$1 id\$1	IBM_IDB	12.55
		identit\$3 sign-on sign-in (sign\$3 near on) (sign\$3		
		near in))) and (((((while during) near2 (boot\$3		
		initiali\$6)) with (load\$3 execut\$3 html xml dhtml		
		shtml sgml (mark\$4 near language\$1))) (((prior		
		before) near3 (log\$3 logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on)		
		(sign\$3 near in))) with (load\$3 execut\$3 html xml		
		dhtml shtml sgml (mark\$4 near language\$1)))) and		
		(log\$3 logon login log-on log-in password\$1		
		sign-on sign-in (sign\$3 near on) (sign\$3 near in)))) and (authoriz\$6 authoris\$6 validat\$4)		
14	165	((((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3)	USPAT;	2004/05/11
* '	100	near3 (log\$3 logon login log-on log-in password\$1	IBM_TDB	12:36
		users identifier\$1 hint\$1 identification\$1 id\$1		
		identit\$3 sign-on sign-in (sign\$3 near on) (sign\$3		
		near in))) and (((((while during) near2 (boot\$3		
		initiali\$6)) with (load\$3 execut\$3 html xml dhtml		
		shtml sgml (mark\$4 near language\$1))) (((prior		
		before) near3 (log\$3 logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on)		
		(sign\$3 near in))) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1)))) and		
		(log\$3 logon login log-on log-in password\$1		
		sign-on sign-in (sign\$3 near on) (sign\$3 near in))))		
		and (authoriz\$6 authoris\$6 validat\$4) ) and ((prior		
		before) near3 (log\$3 logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on)		
		(sign\$3 near in)))		
15	617	(load\$3 execut\$3) near3 (html xml dhtml shtml	USPAT;	2004/05/11
		sgml (mark\$4 near language\$1))	IBM_TDB	12:40

16	3	(((((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3) near3 (log\$3 logon login log-on log-in password\$1 users identifier\$1 hint\$1 identification\$1 id\$1	USPAT; IBM_TDB	2004/05/11 12:36
		identit\$3 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) and (((((while during) near2 (boot\$3		
		initiali\$6)) with (load\$3 execut\$3 html xml dhtml		
		shtml sgml (mark\$4 near language\$1))) (((prior before) near3 (log\$3 logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on)		
		(sign\$3 near in))) with (load\$3 execut\$3 html xml dhtml shtml sgml (mark\$4 near language\$1)))) and		
		(log\$3 logon login log-on log-in password\$1		
		sign-on sign-in (sign\$3 near on) (sign\$3 near in)))) and (authoriz\$6 authoris\$6 validat\$4) ) and ((prior		
		before) near3 (log\$3 logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on)		
		(sign\$3 near in)))) and ((load\$3 execut\$3) near3 (html xml dhtml shtml sgml (mark\$4 near		
		language\$1)))		
17	10622	(load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml (mark\$4 near language\$1))	USPAT; IBM_TDB	2004/05/11 12:41
18	8	((while during) near2 (boot\$3 initiali\$6)) with	USPAT;	2004/05/11
		((load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml (mark\$4 near	IBM_TDB	13:07
		language\$1)))		
19	6	(((while during) near2 (boot\$3 initiali\$6)) with	USPAT;	2004/05/11
		((load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml (mark\$4 near	IBM_TDB	13:13
		language\$1)))) and (log\$3 logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))		
20	131	(boot\$4 startup start-up (start near up) initiali\$5)	USPAT;	2004/05/11
		with ((load\$3 execut\$3) near3 (web page	IBM_TDB	13:31
		browser\$1 html xml dhtml shtml sgml (mark\$4 near language\$1)))		
21	37	((boot\$4 startup start-up (start near up) initiali\$5)	USPAT;	2004/05/11
		with ((load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml (mark\$4	IBM_TDB	13:36
	:	near language\$1)))) and (logon login log-on log-in		
		password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))		
22	32960	(boot\$4 startup start-up (start near up) initiali\$5)	USPAT;	2004/05/11
23	20	near4 (computer\$1 system\$1 server\$1) ((load\$3 execut\$3) near3 (web page browser\$1	IBM_TDB USPAT;	13:36 2004/05/11
23	20	html xml dhtml shtml sgml (mark\$4 near	IBM_TDB	13:36
		language\$1))) with ((boot\$4 startup start-up (start	_	
1		near up) initiali\$5) near4 (computer\$1 system\$1 server\$1))		
24	12	(((load\$3 execut\$3) near3 (web page browser\$1	USPAT;	2004/05/11
		html xml dhtml shtml sgml (mark\$4 near language\$1))) with ((boot\$4 startup start-up (start	IBM_TDB	14:17
		near up) initiali\$5) near4 (computer\$1 system\$1		
		server\$1))) and (logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on)		
		password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))		
25	5502	((713/200) or (713/202) or (713/183) or (709/220)	USPAT;	2004/05/11
•		or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or	IBM_TDB	14:17
		(705/67)).CCLS.	_	

1188	((boot\$4 startup start-up (start near up) initiali\$5)	USPAT;	2004/05/11
	near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66)	IBM_TDB	14:17
598	(((boot\$4 startup start-up (start near up) initiali\$5) near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on)	USPAT; IBM_TDB	2004/05/11 14:18
78	((((boot\$4 startup start-up (start near up) initiali\$5) near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) and ((load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml	USPAT; IBM_TDB	2004/05/11 14:19
49	(((((boot\$4 startup start-up (start near up) initiali\$5) near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) and ((load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml (mark\$4 near language\$1)))) and ((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3) near3 (log\$3 logon login log-on log-in password\$1 users identifier\$1 hint\$1 identification\$1 id\$1 identit\$3	USPAT; IBM_TDB	2004/05/11 14:20
	598 78	near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (713/183) or (709/229) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)  (((boot\$4 startup start-up (start near up) initiali\$5) near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (709/225) or (709/227) or (709/220) or (709/222) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))  ((((boot\$4 startup start-up (start near up) initiali\$5) near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/225) or (709/227) or (709/220) or (709/222) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) and ((load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml (mark\$4 near language\$1)))  (((((boot\$4 startup start-up (start near up) initiali\$5) near4 (computer\$1 system\$1 server\$1)) and (((713/200) or (713/202) or (713/183) or (709/220) or (709/222) or (709/237) or (709/227) or (709/229) or (700/15) or (700/237) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)) and (logon login log-on log-in password\$1 sign-on sign-in (sign\$3 near on) (sign\$3 near in))) and ((load\$3 execut\$3) near3 (web page browser\$1 html xml dhtml shtml sgml (mark\$4 near language\$1))) and ((select\$5 list\$1 table\$1 choos\$3 chos\$3 elect\$3) near3 (log\$3 logon login log-on log-in password\$1 users	near4 (computer\$1 system\$1 server\$1) and (((713/200) or (713/202) or (709/222) or (709/227) or (709/229) or (709/222) or (709/225) or (709/227) or (709/229) or (700/15) or (700/237) or (705/66) or (705/67)).CCLS.)    Section 10